# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,459	05/11/2005	Hiroshi Kurakata	4918-0102PUS1 6940	
	7590 06/15/200 ART KOLASCH & BI	EXAMINER		
PO BOX 747		THOMPSON RUMMEL, PONDER N		
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
			1709	
			NOTIFICATION DATE	DELIVERY MODE
			06/15/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

	Application No.	Applicant(s)			
	10/534,459	KURAKATA, HIROSHI			
Office Action Summary	Examiner	Art Unit			
÷	Ponder N. Thompson-Rummel	1709			
The MAILING DATE of this communication appeared for Reply	ppears on the cover sheet with the	correspondence address			
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory perioraliure to reply within the set or extended period for reply will, by statuent Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be tind d will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 11	<i>May 2005</i> .				
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ Th	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allow	rance except for formal matters, pro	osecution as to the merits is			
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.			
Disposition of Claims					
4) ⊠ Claim(s) <u>1-6, 8-12</u> is/are pending in the appli 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ⊠ Claim(s) <u>1-6, 10-15</u> is/are rejected. 7) ⊠ Claim(s) <u>8 and 9</u> is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.				
Application Papers					
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examiration.	ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ection is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Bures*  * See the attached detailed Office action for a list	nts have been received.  nts have been received in Applicationity documents have been received au (PCT Rule 17.2(a)).	ion No ed in this National Stage			
Attachment(s)  1) Notice of References Cited (PTO-892)	4) Interview Summary				
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date <u>5/11/2005</u>.</li> </ul>	Paper No(s)/Mail Double of Informal F  6) Other:				

Art Unit: 1709

Page 2

#### **DETAILED ACTION**

### Claim Objections

1. Claims 8 and 9 are objected to under 37 CFR 1.75(c) as being in improper form because claim 8 and 9 are dependent upon canceled claim 7. See MPEP § 608.01(n). Accordingly, the claims have not been further treated on the merits.

### Claim Rejections - 35 USC § 102


2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-3, 6, 10-12 and 15 are rejected under 35 U.S.C. 102(b) as being anticipated by Jayaraman et al (US Patent 6,147,177).

With respect to claims 1-3, 6, 10-12 and 15 Jayaraman et al. discloses a photoresist composition that is soluble in aqueous base comprising:

A. a polycyclic monomer having an acid labile group, such as a carboxyl group, represented by formula (II) (column 6, lines 35-45)




П

Art Unit: 1709

where at least one R<sup>5</sup> to R<sup>8</sup> preferably represents  $-(A)_nC(O)OR^*$ , m is an integer from 0 to 5 (column 6, lines 55-57), n is an integer of 0 or 1, A represents a single covalent bond (when n = 0) or a divalent group (column 7, lines 1-3), R\* represents  $-C(CH_3)_3$ ,  $CH(R^p)OCH_2CH_3$ , -  $CH(R^p)OC(CH_3)_3$  or cyclic group wherein R<sup>p</sup> represents a hydrogen or linear or branched alky group (column 8, line 6-30).

- B. an acid-generating agent (a photoacid generator column 20, lines 44-52);
- C. a crosslinking agent such as methoxymethyl substituted melamine and cyclic urea compounds (column 20, lines 10-16);
- D. a solvent such as propylene glycol ethyl ether acetate, cyclohexanone, and ethyl lactate (column 21, lines 29-31).

With respect to claim 6, a monomer having a phenylamide group as represented by formula (I) can be also used in combination with the monomer of formula (II) (column 17, lines 18-22),



wherein at least one of R<sup>1</sup> to R<sup>4</sup> must be selected from an aromatic ring containing substituents: - (CH<sub>2</sub>)<sub>n</sub>NHC(O)G and -C(O)NH(CH<sub>2</sub>)<sub>n</sub>G, G is an

Art Unit: 1709

aromatic group selected from the following moieties (column 3, lines 55-65 and column 4, lines 1-10)

wherein X represent OR<sup>14</sup> or R<sup>15</sup> (column 4, lines 11), a, a' and a" represents the number of times substituent X is substituted on the ring system and a is an integer from 1 to 5, a' is an integer from 1 to 4 and a" is an integer from 1 to 3 (column 4, lines 20-24), m is an integer from 0 –5, preferably 0 to 1 (column 3, line 50), n is an integer from 0 to 5 (column 3, lines 50-51), R<sup>14</sup> is a hydrogen, linear or branched (C<sub>1</sub> to C<sub>10</sub>) alkyl, –C(O)CH<sub>3</sub>, tetrahydropyranyl, t-butyl and R<sup>15</sup> is a hydrogen, cyano, halogen, and –C(O)O-t-butyl (column 4, lines 23-28). The monomers are polymerized by ring-opening metathesis polymerization (ROMP) with subsequent hydrogenation (column 13, lines 10-14) in the presence of a catalyst that consist of a ruthenium metal carbine complex catalyst (lines 41-41-45).

Application/Control Number: 10/534,459 Page 5

Art Unit: 1709

With respect to claims 10-12 and 15, Jayaraman et al. also discloses a method of forming an image by coating a substrate with film comprising the positive or negative photoresist of A-D (column 21, lines 26-33), imagewise exposing the film to radiation by electron beam xenon lamp, x-ray (ultraviolet) radiation (column 21, lines 37-45), and developing the pattern with an aqueous solution (for example, tetramethyl ammonium hydroxide) (column 21, lines 59-63).


## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 4, 5, 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jayaraman et al. as applied to claims 1-3, 6, 10-12 and 15 above, and further in view of Taguchi et al. (US 2004/0152843).
  - With respect to claims 4, 5, 13 and 14, Jayaraman et al. discloses the photoresist composition co claims 1 and 10. However, Jayaraman et al. fails to disclose the use of an organoruthenium compound in which a neutral electron donating ligand is a heterocyclic carbene compound with a nitrogen atom.

Taguchi et al. discloses a resin that comprises: a ring-opening copolymer that has an alicyclic monomer of formula (12) (paragraphs [0038] and [0039])

Application/Control Number: 10/534,459 Page 6

Art Unit: 1709



where at least one R<sup>13</sup> to R<sup>16</sup> is a substituent having a hydroxycarbonyl group (-COOH) (paragraph [0017]); an ionic curing agents (crosslinking agent) (paragraph [0107]); and a solvent (paragraph [0085]) wherein the monomer having the hydroxycarbonyl group is subjected to ring-opening metathesis copolymerization in the presence of a catalyst that consist of a organic ruthenium compound in which a neutral electron-donating ligand is coordinated (paragraph [0067]) and where such ligand is a heterocyclic carbine compound with a nitrogen atom such as 1,3-dimesitylimidazolin-2-yildene and 1,3-dimesitylimidazolidin-2-yildene (paragraph [0075]). The catalyst containing a metal such as ruthenium are preferred because side reactions causing modification of functional groups do not occur, and carbon-carbon unsaturated bonds of the copolymer can be selectively hydrogenated (paragraph [0092]). Also, the activity for copolymerization tends to be enhanced upon using the preferred carbine compounds (paragraph [0075]).

It would have been obvious to one of ordinary skill within the art at the time of the invention to use an organoruthenium catalyst such as dimesitylimidazolin-2-yildene and 1,3-dimesitylimidazolidin-2-yildene as taught by Taguchi et al. within the photoresist of Jayaraman et al. to prevent modification of


functional group by preventing side reactions within the copolymer, selectively hydrogenate unsaturated carbon-carbon bonds, and to enhance copolymerization.

6. Claims 1-3, 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goodall et al (US 2002/0128408) in view of Taguchi et al.(US 2004/0152843).

With respect to claims 1-3 and 10-12, Goodall et al. discloses a radiation sensitive photoresist composition that is soluble in an aqueous solution (alkali – abstract) comprising:

A. an acid-labile monomer represented by formula (I) (paragraph [0031])

· 1



where R1 to R4 represents (paragraph [0032]) which can be polymerized by ring opening polymerization with subsequent hydrogenation (paragraph [0092]) in the presence of a catalyst, such as ruthenium (paragraph [0095]), in a solvent;

- B. a photoacid initiator (acid-generating agent) such as and;
- C. a solvent such as benzene and toluene (paragraph [0108] and [0199]).


  Goodall also discloses a method of forming an image by coating a substrate with film comprising the positive photoresist of A-C (paragraph [0219]), imagewise

(12)

Art Unit: 1709

exposing the film to radiation by electron beam or electromagnetic radiation (UV) (paragraph [0220]), and developing the pattern with an aqueous solution (for example, TMAH) (paragraph [0021]). However, Goodall et al. fails to disclose the use of a crosslinking agent within the photoresist composition.

Taguchi et al. discloses a resin that comprises a ring-opening copolymer that has a alicyclic monomer of formula (12) (paragraphs [0038] and [0039])



with a hydroxyl group or hydroxycarbonyl group and a curing agent (crosslinker) such as hexamethylenediamine (paragraph [0107]). The curing agents are used to provide excellent fire retardancy (paragraph [0110]).


It would have been obvious to one of ordinary skill within the art to include the use of a curing agent (crosslinking agent) as disclosed within Taguchi et al within the photoresist of Goodall et at. to improve fire retardancy.

7. Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Taguchi et al (US 2004/0152843) in view of Suwa et al (US Patent 6,727,032).

With respect to claim 1, Taguchi et al. discloses a resin containing a ring- opened methathesis copolymer that comprises:

A. an alicyclic monomer of formula (12) (paragraphs [0038] and [0039])

Art Unit: 1709



where at least one R<sup>13</sup> to R<sup>16</sup> is a substituent having a hydroxycarbonyl group (-COOH) and the remainder of R<sup>13</sup> to R<sup>16</sup> is hydrogen atom, a hydrocarbon group having 1 to 20 carbon atoms, a halogen atom, silicon atom, oxygen atom or nitrogen atom other than a hydroxycarbonyl group and where p is an integer of 0-2 (paragraph [0017]). Examples of the monomer of formula (9) having a hydroxylcarbonyl group (acidic carboxyl group -COOH) include 5-hydroxycarbonylbicylo-[2.2.1]hept-2-ene, 5,6-dihydroxycarbonylbicyclo[2.2.1]hept-2-ene, 8-hydroxycarbonyltetracyclo[4.4.0<sup>2,5</sup>.1<sup>7,10</sup>]dodec-3-ene and 87-methyl-8-hydroxycarbonyltetracyclo[4.4.01<sup>2,5</sup>.1<sup>7,10</sup>]dodec-3-ene, and 8-methyl-8,9-dihydroxycarbonyltetracyclo-[4.4.0.1<sup>2,5</sup>.1<sup>7,10</sup>]dodec-3-ene (paragraph [0057]);

- B. an ionic curing agent (crosslinking agent) such as hexamethylenediamine, diisocyanate compounds, and polyamine compounds (paragraph [0107]);
- C. a solvent (paragraph [0085]) such as cyclkopentane, cyclohexane, methylcyclohexane, benzene, toluene, acetonitrile and diethyl ether, in

Art Unit: 1709

which the solvent used for copolymerization is capable of dissolving the copolymer (paragraph [0085], lines 7 and 8).

The monomer having the hydroxycarbonyl group is subjected to ring-opening metathesis copolymerization in the presence of a catalyst that consist of a organic ruthenium compound in which a neutral electron-donating ligand is coordinated (paragraph [0067]) and such ligand is a heterocyclic carbine compound with a nitrogen atom such as 1,3-dimesitylimidazolin-2-yildene and 1,3-dimesitylimidazolidin-2-yildene (paragraph [0075]).

However, Taguchi et al fails to disclose the use of an acid-generating agent within the final resin that comprises the copolymer consisting (A) - (C).

Suwa et al. discloses a radiation sensitive composition which is slightly soluble in alkali (column 3, lines 23-24) that comprises an alicyclic skeleton and an acid-generating agent such as diazobenzoquinone compounds and diazonapthoquinone compounds (column 19, lines 66-67), which has the function of cleaving an acid-cleavable group present in the resin or an acid generated by exposure to irradiation (column 19, lines 14-17). If the amount of acid generating agent is too small, then sensitivity and developability may be lowered (column 19, lines 44-46). If the amount of acid generating agent is too much, then transparency for radiation is lowered and as a result, may show a tendency to obtain a rectangular photoresist pattern (column 10, lines 45-49).

It would have been obvious to one of ordinary skill in the art at the time of the invention to include an acid-generating agent as described by Suwa et al. Application/Control Number: 10/534,459 Page 11

Art Unit: 1709

within the resin of Taguchi et al. to increase sensitivity and developbility as well as enhance transparency and prevent unwanted patterning.

#### Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ponder N. Thompson-Rummel whose telephone number is 571-272-9816. The examiner can normally be reached on Monday-Friday 7:30 am - 5:00 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alexa Neckel can be reached on 571-272-1446. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

BARBARA GILLIAM PRIMARY EXAMINER

P.T.W.

Art Unit: 1709

Page 12